



ABOUT L.I.F.E

Our Mission

Quantum LIFE is dedicated to creating more health in the world. We are committed to furthering knowledge and understanding about the benefits of bio-energetic medicine, in order to facilitate a fundamental shift in the delivery of healthcare worldwide. We continuously search for and explore innovative technologies that can maximize the benefits of energetic medicine. We provide our clients with information and access to the best, state-of-the-art equipment and software for use in their complementary health practices. The LIFE System is FDA registered as a biofeedback device. If we can be of any assistance to you please let us know. We want you to be happy, healthy and live a peaceful life!

Overview

The LIFE System identifies the stresses on the body at the electro-magnetic level. Then, through biofeedback it provides data in the form of recommended homeopathic solutions, electro-acupuncture, meridian and naturopathic balancing, to the practitioner and client/patient in easy to understand numbers, charts and text. In designing The LIFE System great care was given to make the biofeedback software as easy to use as possible.

The LIFE System as shown in the picture below, illustrate three main components: the modular based software; the head, wrist, and ankle harnesses, which are placed on the client; and the interface box, which generates the square wave signals received by the software. (Ankle harnesses attached to The LIFE System hardware are not shown.)



The LIFE System Design

In designing The LIFE System, basic principles of energetic management, from ancient Chinese traditions, to the emerging field of Quantum Dynamics were considered. This gave rise to a perspective that a river of energy connects every organ, every thought and every emotion. The flow or blockage of energy reflects a profound system of communication that demonstrates the body/mind intelligence.

The LIFE System seeks to create and integrate an environment of wellness, balance and harmony. The entire process is safe, gentle and non-invasive.

It works by reducing the stresses on a body at the electro-magnetic level caused by food, toxins, environment, genetics, lifestyle. The LIFE System then feeds back the appropriate electro-magnetic signals, using nano-second computer speeds, to insure total safety.

Here's more detail on how The LIFE System works:

1. Measures the electro-magnetic reactivity in the body via different electromagnetic responses.
2. Compares the tri-vector resonant frequencies of complex mathematical calculations of the body with nearly 7000 known compounds stored in the largest software database in the world. Current Rife and other point probe devices only measure resistance.
3. Feeds back information, in the form of recommended homeopathic solutions, electro-acupuncture, meridian and naturopathic balancing, to the practitioner and client/ patient in easy to understand numbers, charts and text.

The LIFE System Biofeedback 3 Step process:

Step 1: As a premier biofeedback system The LIFE System records subtle "reactive" informal "stress potentials" provided during the assessment procedure with the practitioner.

Step 2: The LIFE System evaluates the responses through the high end visual graphic interface.

Step 3: The computer challenges the individual with the information by feeding it back to the client. A portable windows based application the LIFE system offers the practitioner enhanced therapy modalities as well as in house testing capabilities.

Intuitive interface, aesthetic design and state of the art computer programming offers practitioners an easy to use interface.

Stress Detection and Stress Reduction using The LIFE System

The LIFE System works by reducing the stresses on a body at the electro-magnetic level. Stress begins by producing an alarm response in the body, which if not managed by the body's own natural resources, can lead to the development of an adaptation response. If stress is not resolved, symptoms appear. Imbalances usually begin at the cell level, progress to tissue and organ level, and may involve whole body systems.

Stress may result from a large number of factors including:

- * Thoughts of self-doubt that block perceptual awareness
- * Nutritional deficiencies
- * Inadequate intake of water or oxygen
- * Toxic stress factors such as fungus, bacteria, viruses and chemical agents
- * The presence of heavy metals
- * Prescription drugs or other synthetic compounds
- * Geopathic stressors such as parasites or allergens
- * Genetic predisposition
- * Bio-field contamination from radiation, microwaves and ELF's

All of the above stress factors can be identified using The LIFE System and with the aid of this remarkable biofeedback system balance can be restored back to the client/patient.

Features

The founders of Life System Device have been major distributors for other biofeedback devices.

The L.I.F.E. System is affordable, portable, easy to learn and accurate! It is an ideal tool for establishing a practice in many modalities including:

- Acupuncturists • Herbalists
- Allergists • Homeopaths
- Chiropractors • Kinesiologists
- Craniosacralists • Naturopaths
- Dentists • Nutritionists • Doctors

A Value Added Product for your practice

- No need to send your clients elsewhere for costly tests.
- Doing them in-house keeps the profit where it belongs, in your practice.
- With the L.I.F.E. System you don't have to wait for results, you gain an immediate holistic overview of your client.
- The L.I.F.E. System can pinpoint underlying areas of concern that would normally be missed by standard biofeedback protocols and therefore offer an insight into your client's current state of health.
- Unlike point probe devices, the L.I.F.E. System is fully objective, eliminating operator bias.
- An average test time of 6 minutes and an average session time of 45 minutes allows you to deal with a 400 per cent increase in data in half the time.
- With an entire test centre at your fingertips, you can expand your own skills learning more with each new client.
- The built-in manual offers screen explanations and definitions on every panel.
- Simple-to-use and easy. Get the best results for your clients.
- The L.I.F.E. System is windows-based and works on windows XP systems. It will be Mac compatible soon.
- The L.I.F.E. System is completely portable.
- You can use it in a client's home or at an exhibition booth.

Imagine having the following evaluations at your fingertips!

- Allergies • Homeopathy • Animal/Pet Specific • Hormones
- Biofeedback • Iridology • Brain • Mental Emotional • Cell-Com
- Reactivity Testing • Color & Chakra • Sports & Injury • Condition Specific
- System Specific • Cosmetic • Vitamin-Mineral-Amino Acid • Dental • Detox

LIFE System 1st generation



LIFE System 2nd generation



The LIFE System identifies the stresses on the body at the electro-magnetic level. Then, through biofeedback it provides data in the form of recommended homeopathic solutions, electro-acupuncture, meridian and naturopathic balancing, to the practitioner and client/patient in easy to understand numbers, charts and text. In designing The LIFE System great care was given to make the biofeedback software as easy to use as possible.

The LIFE System as shown in the picture below, illustrate three main components: the modular based software; the head, wrist, and ankle harnesses, which are placed on the client; and the interface box, which generates the square wave signals received by the software. (Ankle harnesses attached to The LIFE System hardware are not shown.)

Upgrades

Software upgrades available for download through the internet through your own back office management system.

LIFE Hardware Requirements

- Windows XP, Windows Vista & Intel Macs
- Pentium M Processor operating at 1.5 Ghz (or more) (You can use a Celeron or Sempron Processor as well)
- 512 megabytes of RAM
- Ample hard drive capacity is recommended (20 gig)
- USB port essential.

Ask about our PC Hardware pre-installed package.

Why Purchase the LIFE System:

- Lowest Price in the industry!
- Honest results!
- Excellent healing device!
- An investment for a practitioner!
- FDA registered!
- Used and endorsed by Doctors, Kinesiologists, Dentists, Veterinarians, Naturopaths,
- Chiropractors, Homoeopaths, Acupuncturists, Nutritionists, Research institutes, Hospitals and more...
- 100% Customer satisfaction!
- Everything needed for a practitioner!

LIFE System vs. the QXCI and SCIO

The LIFE System can do everything the QXCI and SCIO can do plus more. The main differences between the two machines are as follows:

1. The LIFE System was developed using Windows XP Technology where as the QXCI SCIO was developed using MS-DOS Windows 95 technology. Using such an old software platform increases the glitch factor and result in unstable biofeedback balancing.
2. The L.I.F.E. System's interface is professional; not as "new age" as the QXCI/SCIO.
3. While the above is true the LIFE System still has all of the wonderful "new age" programs you might have seen in the QXCI or SCIO such as:
 - Dimensional Transformation - Past Life Program
 - The Mystic Programs
 - Meditation Stimulation
 - Clairvoyance Stimulation
 - Shaman Stimulation and many more
 - Color,Chakra,Aura programs are powerful applications in the L.I.F.E System.
4. LIFE System is user friendly, easy to operate and logically designed
5. The QXCI & SCIO is un-necessarily complex and complicated while the program is not designed logically.
6. The LIFE System has been pared down and streamlined to include only the programs that work and are useful.

7. Most items that the QX or SCIO have that the L.I.F.E. does not appear to have are either available under a different guise or they have been left out intentionally by the developer for a good reason.

For example: The L.I.F.E. System has limited piggy-back therapies. Chris does not believe that this is an effective way to deliver frequencies to a client. He believes that it confuses the body. Therefore this is not offered in the L.I.F.E. System. This System is based on his philosophies and research.

For example: The L.I.F.E. System has limited piggy-back therapies. Chris does not believe that this is an effective way to deliver frequencies to a client. He believes that it confuses the body. Therefore this is not offered in the L.I.F.E. System. This System is based on his philosophies and research.

8. The QXCI and SCIO are filled with programs that have not been fully developed or just do not work. For example: Breast augmentation. This just becomes confusing to the practitioner who will find themselves wondering around and spending hours in programs that ultimately don't get results. These programs just serve to frustrate a practitioner and devour huge amounts of valuable time.
9. The LIFE System has a superior animal program used to provide therapy on animals. Whereas the QXCI and SCIO does not.
10. The price! The LIFE system is \$6,000 less than the QXCI and SCIO.

The LIFE System Comparison Based On Electromedicine Analysis

- The LIFE System has an Intuitive Interface which makes for easy use. When comparing other systems to The LIFE System be sure to analyze the software interface.
- No software glitches with The LIFE System ... well we and our customers haven't had any yet... You should speak to practitioners with other biofeedback devices and ask them about the challenges they have with software glitches. A superior LIFE Software nothing can compare!
- Fantastic animal program allowing for specific corrective feedback of various imbalances plaguing animals.
- Dynamic programming allows for enhanced evaluations and minimal computer system resources used during sessions. The design of The LIFE System provides the practitioner with a very stable operating platform.
- Testing of items or compounds are illustrated according to color coding for easy use and understanding. Top three highest reactions and lowest items are emphasized.
- The lights on the box flash according to the specific frequencies delivered. As the frequency intensity increases, the lights flash accordingly. Very specific real time

information collaboration between the box, client and harness. Just the way it should be!

- Measures very subtle energy contact with the body. The lights immediately illuminate when the head harness makes contact and immediately switches off after therapies.
- No program freezes, system lock ups or cntrl / alt / delete issues (that we are aware of).
- Premier technical support back end features. No more guessing if your system crashes with the LIFE internal key stroke diagnostics. As far as we know no other biofeedback company has these key features.

The LIFE System Comparison: Main Test Matrix Panel Features

- Has its own test matrix capability. Build your own test matrix reactivity panel with all your own herbs and remedies and more. You can then compare the reactions to your own compounds added into the test matrix.
- 1,000,000 samplings of data. The client is presented with a 1, 000, 000 samplings of each and every compound during the reactivity test which allows for superior testing capabilities in comparison to other devices.
- Each compound has its own energetic signature or algorithm. Each item within the test matrix has its own fractal image (A fractal image is like the sacred song of the item or compound)
- You can save the entire test matrix reading of each and every client. After the reactivity test you can go back to any of the previous results and compare the test matrix results from one session to another. This can be done real time with your client for instant evaluation and feedback. The ability to have 2 complete reactivity tests next to one another allows for some great deductions to be drawn from the comparisons.
- Individual client affirmations run in the background for each session. Prayer program facility included and easy to add/ remove prayers with The LIFE System.
- External 24/7/365 HEB (Harmonic Energetic Balancing) Prayer Program for prayer wheel applications for more than one person at a time.
- Complete detailed description of each and every item in the main test matrix page.
- 5 sec and 30 sec auto feedback session of each and every compound. Percent successful session indicated. A comparison between the percent rectification allows you to gain an understanding of the resistance in the human body. This resistance is indicative of the flow of dis-ease in the human body!

L.I.F.E. System Technical Questions & Answers

Prepared By Michael Slivinski

What is the frequency output of the L.I.F.E. System program?

The L.I.F.E. System uses a frequency range from 0.5 Hz to 250 KHz. The manual signal generator, unique to the L.I.F.E. System, displays the signal to the lamps on the face of the interface box. All signals in the program may be measured by an oscilloscope. Measurements conveyed to the graphite impregnated rubber interface straps and headband, when in contact with the skin, are in the milli-volt and 1-2 milli-amp to micro-amp range.

What happens during the calibration Process?

The calibration process creates a relationship between the body and the interface box. It stimulates the body with signals, determines the reactions and relationship with the body, then adapts the program to a pertinent response mode. It might be described as a harmonic resonance between the body and the interface device.

Does the L.I.F.E. System use Tri-vector signals? Can you describe Tri-vector?

Yes, the L.I.F.E. System uses a very sophisticated, proprietary Tri-vector process. We use the Tri-vector in different combinations throughout the entire program. L.I.F.E. has more than 7200 specific, fundamental, and complex signals using the Tri-vector process.

Tri-vector develops complex waveform signals, unique to each substance. In addition, each signal is displayed graphically in the form of a fractal image. No other system compares with efficacy of this process.

What does the EMR (Electrical Magnetic Radiation) protection do?

It stimulates the body with Schuman waves (Earth's magnetic frequencies, among other earth energies) that the body and our DNA recognizes, entrains and synchs with. It is valuable to the human organism, helping to balance the body with earth's resonant energies. The human life form (as well as other life forms, such as plants and animals) have benefited mankind since he has walked the earth. Within the L.I.F.E. System, we have the option to change the frequency.

Currently, we use 7.83 Hz, as the default setting. But some choose to adjust it to a higher value due to perceived geophysical changes on the planet. The L.I.F.E. System offers the option to select a setting of one's choice. EMR (Electrical Magnetic Radiation) Protection, can also be disabled for those who may have an over sensitivity to EMR. Additionally, the MetaSpace mode allows for a more subtle EMR Protection choice for those that experience such sensitivity.

Does LIFE use different waveforms?

Yes. The L.I.F.E. System uses unlimited waveforms, including Sine waves and Square waves. Despite various schools of thought, concerning the use of Square waves or Sine waves, it is known that Square waves generate an output rich in harmonics. See also Tri-vector above.

Why do you recommend limiting L.I.F.E. Sessions to every 48 hours?

It is suggested that the body, mind and emotions need adjustment time to adapt to the balancing energies delivered by the L.I.F.E. System. For every item in L.I.F.E. database, L.I.F.E. sends these energetic, balancing frequencies to the body. These are pings or pulses of energy, of short duration (milliseconds), used to stimulate the body. The body then responds to these energies giving the L.I.F.E. System an indication to areas of imbalance. The practitioner may then give consideration to the various modality options.

A handful of substances in the Reactivity are not identified. What are they?

We have worked with many different homeopathic companies and others who have provided us with product substances. 99% of the time we have identifying descriptors for the items. However in rare instances, we are unaware of the specific substance or description of the item.

We rely on the company's reputation, and trust in the energetic integrity of their product. Please remember that these substances, when represented in the program, are converted to energetic signatures, and characterize only the energy essence of the physical substance.

What is the significance of the Biosignatures in Biofeedback/Gems panel?

Bio-Signatures are drawings and photo images representing the energy pathway of a specific organ. We merge the clients photograph, at unique mathematical rate, with that of the drawing or photo image, in order to illicit a desired effect through the harmonic resonance. This effect has been researched by several individuals in Egypt and India.

Does the L.I.F.E. work with the new dual core processors?

Yes, depending on the processor used by the PC manufacturer, our test times have ranged between approximately 4-5 minutes and 12 minutes. Different processors handle information in their own unique way. The longer reactivity test times (up to 12 minutes) seem to occur with Intel Centrino processors. Therefore, the AMD 64 dual core processor is highly recommended for its speed and efficiency. However, the statistical and mathematical results provided, will be the same in either case. In the near future we will have a solution to standardize the reactivity speed for most dual processors.

Will there be a Russian version? What other languages will be available?

Yes, there will be a Russian version. Translations have been arranged and/or completed for several languages. These include: Spanish, English, French, German, Italian, Traditional Chinese, Simplified Chinese, Korean, and Japanese, which are fully completed. Portuguese, Russian and Czechoslovakian are currently under construction. Some Scandinavian languages are also being considered at this time.

Can you correct the spelling errors in the program?

Yes, of course we will, but our top priority has been on improving the Life System, so it can be universally available. Some people think there is a misspelling, but quite often it depends on the dialect of that country or culture. A simple example is the word color or colour, or the word grey vs. gray. Another challenge is the many different types of Spanish or French spoken throughout the world. You have France vs. Canadian French. Then there is Spain, Central American Spanish, Latin American Spanish, and Mexican Spanish. We want to respect and honour all these languages and cultures and do our best to do so. It is the same with Latin or Greek words in medicine. The list is endless. We are working with an attitude of "Best effort".

We suggest that those concerned with spelling errors also offer suggestions on what improvements we can make to the Life System to enhance its performance.

Can the L.I.F.E. System collect and distribute information from and to the body?

The Life System is a proven biofeedback device. It sends balancing energies to the body. It then assesses the body's response, and the subsequent information provided, and portrays that information in a hierarchy format. The information is then displayed in descending numerical order, from the highest or most significant reactive value (2000), to the lowest (0).

Results are presented in a user friendly, understandable format. The areas of imbalance that are indicated can now be better addressed. The user can combine the harmonic/energetic information provided by the L.I.F.E. System in conjunction with their training, to better understand their client's issues.

The L.I.F.E. System uses multiple channels, or energetic pathways, both within the system and external to the device. We use a head and limb harness system as an energetic delivery and pickup system. This can be visually demonstrated during a L.I.F.E. System demonstration.

When the head harness is firmly worn on the head, the L.I.F.E. System box will visually display the energies being received, by way of the four L.E.D. indicators (light emitting diodes) on the front left panel of the device. When the head harness is removed, the L.E.D's will turn off.

The four L.E.D's on the front right are indicators of the energies being delivered to the body.

What electrical parameters are being measured?

The electrical characteristics, inductance, capacitance and resistance change in the body for many reasons. These changes affect the energies that the L.I.F.E. System uses during the pickup phase of the reactivity process. Imbalances are reflected in many areas of the body, both electrically and physiologically.

After the Life program is opened. It is best to attach the harnesses to the body after you have finished with the demographic page. The head harness needs good contact with the skin on the forehead, for best electrical pickup. If the client's skin is oily or covered with make-up, it should be removed. It is best to clean the head harness, for hygienic purposes, with a damp, (not wet), cotton swab that has been dipped in a diluted, soap and water solution. This helps to clean up any residue of oil, or deposits of dust and dirt. Do NOT use alcohol, at any time, to clean the harness system. It will damage the electrically conductive rubber. Also, do NOT use Tea Tree Oil to clean the harnesses. It is a good antiseptic, but it is also an oil that insulates the electrically conductive graphite harnesses ability to achieve good contact.

For reasons unknown, some people use tissue while wearing the head harness. It is suspected that another biofeedback device recommends such a practice for its own reasons.

Please do not use tissue with the L.I.F.E. System harness because it acts as an insulator, not a conductor.

We do want to mention that the Life System will also work in a different mode if one decides to not use the harnesses in direct contact with the skin, but in close proximity to the body. This is more of a "field effect" pickup.

What about the new L.I.F.E. System box and harness system?

The new L.I.F.E. System box has incorporated the ability to utilize many new features. The new head harness system contains four light emitting diodes (red, yellow, blue and green) in addition to the eight pre-existing pickup and delivery bands. This feature accentuates the exiting new color/light delivery system. The new wrist and ankle bands each contain one infrared delivery diode. Instructions for the proper application of the new harness system will be included with the device.

Regarding L.I.F.E. Box installation and restore function

Following the opening of the L.I.F.E. program, if you find a dialog box message stating: "L.I.F.E. Box Not Found," this is an immediate indication that an improper installation has taken place, or the box and cable have not been properly connected to the PC.

The L.I.F.E. System has a wonderful restore function in the event of a computer or operating system failure. This feature can be found in the lower left corner of the Demographic panel.

What Should I Do Next?

If you are ready to invest with Quantum Life and The LIFE System please send us an enquiry at divineenergies@gmail.com or get directly in touch with Divya Sharma at +91 9810611277.

As soon as we receive the enquiry, we will call you and discuss your order.

Allow for up to 3 weeks to receive your order.

Thank you
Quantum Life LLC